

WEST Search History

DATE: Tuesday, June 24, 2003

Set Name Query
side by side

Hit Count Set Name
result set

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L10	L1 and (sn or tin or zn or zinc) near (solder or soldering or paste or cream or sheet or foil)	21	L10
L9	l1 and (paste or flux)	91	L9
L8	l2 and (paste or flux)	46	L8
L7	l3 not (l4 or l5 or l6)	18	L7
L6	L1 and (fold or folded or corrugated or corrugation or peak) near (fin or aluminum)	23	L6
L5	L3 and (fold or folded or corrugated or corrugation or peak)	6	L5
L4	L3 and (fold or folded or corrugated or corrugation or peak) near (fin or aluminum)	1	L4
L3	L2 and heat sink	24	L3
L2	L1 and (solder or soldering)	81	L2
L1	(sn or tin) and (zn or zinc) and (al or aluminum) near (fin or heat) and (cu or copper)	265	L1

END OF SEARCH HISTORY

Searching PAJ

MENU

NEWS

HELP

Search Results : 25

Index Indication

Clear

Text SearchIf you want to conduct a Number Search, please click on
the button to the right.

Number Search

Applicant, Title of invention, Abstract — e.g. computer semiconductor

If you use the AND/OR operation, please leave a SPACE between keywords.

One letter word or Stopwords are not searchable.

aluminum copper

AND

AND

exchanger sink fin

OR

AND

zn zinc

OR

AND

Date of publication of application — e.g. 19980401 - 19980405

AND

IPC — e.g. D01B7/04 A01C11/02

If you use the OR operation, please leave a SPACE between keywords.



Search

Stored data

Copyright (C); 1998,2003 Japan Patent Office

WEST Search History

DATE: Tuesday, June 24, 2003

Set Name Query
side by side

Hit Count Set Name
result set

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L10	l4 and (fan or blower)	6	L10
L9	l3 and solder near (bath or tank or supply or wave or reservoir)	77	L9
L8	l3 and (sn or tin or ag or silver or cu or copper or bismuth)	373	L8
L7	l3 and (pre or prelim or preliminary) near (heat or heater or heated or heating)	8	L7
L6	L5 and iron	77	L6
L5	l3 and (hand or iron)	231	L5
L4	L3 and (blast or blasting or radiant or infrared or "ir") near (heat or heater or heating)	22	L4
L3	L2 and reflow	403	L3
L2	L1 and (lead or pin or electrode) near (plate or plated or plating)	1942	L2
L1	(solder or soldering) and (flow or wave) and (lead or pb)	31648	L1

END OF SEARCH HISTORY